



NEWMIKA - SUPERMAR COLLECTION

SUPERMAR

FEEL THE POWER OF GLOSS



CORPORATE OFFICE

Greenlam Industries Limited
2nd Floor, West Wing, World Mark 1,
Aerocity IGI Airport Hospitality District,
New Delhi - 110037.
Tel: +91-11-4279-1399
Email: info@newmika.com
Website: www.newmika.com

GREENLAM EXPERIENCE CENTER

25/B, Shop No. E & F,
Mirza Ghalib Road, Park Street,
Opposite: Westside Mall, Kolkata - 700016.
Contact no : - +91-98303-18020; +91-62921-26662
Email: experiencecenter.kolkata@greenlam.com



SCAN THE QR CODE TO
DOWNLOAD THE E-CATALOGUE

BRANCH CONTACT DETAILS

ANDHRA PRADESH: 0866 - 2523135 | BIHAR: 97714 03348 | CHANDIGARH: 01762 - 512583 | CHATTISGARH: 0771 - 6460849 | DELHI - NCR: 97175 95726 | GUJARAT: 99099 83383
GUWAHATI: 0361 - 2273306 | HARYANA: 99961 22799 | JHARKHAND: 97714 00438 | KARNATAKA: 080 - 25500721 | KERALA: 97464 72855/0484 - 2349865
MADHYA PRADESH: 97525 93429/0731 - 4206153 | MUMBAI - THANE: 022 - 26825203 | NAGPUR: 0712 - 2421129 | ORISSA: 97714 00438 | PUNE: 020 - 26169307 | PUNJAB: 97794 23110
RAJASTHAN: 0141 - 2333747 | TAMIL NADU: 95000 92471/044 - 42822672 | TELANGANA: 91003 64323 | UTTAR PRADESH: 90050 94737 | UTTARAKHAND: 90050 94737 | WEST BENGAL: 97487 43204

/newmikalaminat | /newmikalaminat | /greenlamIndustries | /company/greenlam-industries-ltd | /newmika_laminates

NEW MIKA



Greenlam is among the world's top 3, Asia's largest and India's No. 1 surfacing solutions brand. With its presence in over 100 countries, Greenlam has focused on developing quality products with great passion for innovation. It offers end to end surfacing solutions spread across laminates, compacts, interior and exterior grade cladding, restroom cubicles and locker solutions, decorative veneers, engineered wooden floors and doors. With two state-of-the-art manufacturing facilities in the country, it is the first choice of Home Owners, Architects and Interior Designers when it comes to transforming residential and commercial spaces.



NewMika Laminates from the house of Greenlam Industries Ltd is a name synonymous with contemporary designer laminates in India. Driven by an unflinching drive to innovate and introduce bold and vibrant designs, NewMika strives to cater to the young and diverse audience. An exclusive selection of laminate designs attuned with modern style sensibilities and in line with the emerging global trends, NewMika is a hallmark of versatility which represents the perfect surfacing solution.

SUPERMAR

FEEL THE POWER OF GLOSS

SuperMAR from NewMika laminates has a gloss like no other. Its glossy surface can turn any space into something spectacular. Spectacular because it can look good almost anywhere and also because it can magically make a room look far more spacious than it really is. The magic also lies in its superior wear resistance that ensures no scratches mar the gloss of SuperMAR. You can only expect chic modernism exuding from these laminates and nothing less.

FEATURES

 SUPERIOR GLOSS LEVEL 112-116	 SUPERIOR MAR PERFORMANCE	 SUPERIOR WEAR RESISTANCE	 SUPERIOR GLOSS RETENTION
 SCUFF RESISTANT	 SCRATCH & ABRASION RESISTANT	 STAIN RESISTANT	 HEAT RESISTANT
	 ANTI- BACTERIAL*	10* YEARS WARRANTY	


*As per the test report bacteria gets 99.99% retarded after 24 hours of contact







3551 SMR Silver


3502 SMR Satin White

SOLID




S O L I D






3503 SMR
Pearl White



3502 SMR
Satin White



3511 SMR
Orchid



3526 SMR
Porcelain




3521 SMR
Khaki



3561 SMR
Grey Out



3649 SMR
Brew



3711 SMR
Beaver




3551 SMR
Silver



3553 SMR
Nickel Grey



3563 SMR
Porpoise Grey



3564 SMR
Fossil Grey




3742 SMR
Pietra-Balsam Brown







3744 SMR
Pietra-Cave Grey

A B S T R A C T





W O O D G R A I N



I N D E X

Sr.No	Design No.	Finish Code	Design Name	Page	Row	Column	Edge Band Rehau/Doellken	Edge Band E3	Edge Band Red Star
1	3036	SMR	Classic Mahogany	10	2	C	069P-REHAU	E3-2045	Red Star-52
2	3067	SMR	Seattle Maple	10	1	C	056P-REHAU	E3-2048	-
3	3121	SMR	Striped Pine	9	1	B	015P-REHAU	E3-2053	Red Star-236
4	3221	SMR	Polished Wood	10	3	C	-	E3-2002	Red Star-131
5	3252	SMR	Venas	10	1	B	486P-REHAU	E3-2151	Red Star-622SWM
6	3255	SMR	Catania Oak	10	1	A	255P-REHAU	E3-2012	Red Star-615
7	3257	SMR	Sonora Hickory	10	3	B	408P-REHAU	E3-2081	Red Star-95/626SWM
8	3365	SMR	Nicewood Sheen	10	2	B	-	E3-2017	Red Star-136
9	3502	SMR	Satin White	7	1	B	75701-REHAU	E3-1102	Red Star-114
10	3503	SMR	Pearl White	7	1	A	75637-REHAU	E3-1000	Red Star-115
11	3511	SMR	Orchid	7	1	C	110176-REHAU	E3-1124	Red Star-10
12	3521	SMR	Khaki	7	2	A	75622-REHAU	-	-
13	3526	SMR	Porcelain	7	1	D	75603-REHAU	-	-
14	3540	SMR	Aquatica	7	2	C	112129-REHAU	E3-1114	Red Star-605
15	3541	SMR	Flamingo	5	1	C	110172-REHAU	-	-
16	3543	SMR	Roseate	5	1	A	-	-	-
17	3544	SMR	Pretty Pink	5	1	B	-	-	-
18	3551	SMR	Silver	7	3	A	110166-REHAU	E3-1051	Red Star-07
19	3553	SMR	Nickel Grey	7	3	B	75709-REHAU	E3-1052	-
20	3561	SMR	Grey Out	7	2	B	110104-REHAU	-	-
21	3563	SMR	Porpoise Grey	7	3	C	75728-REHAU	E3-1019	-
22	3564	SMR	Fossil Grey	7	3	D	SF-27A6-REHAU	E3-1044	-
23	3569	SMR	Castleton Green	6	2	D	-	-	Red Star-315
24	3571	SMR	Cascade Green	6	2	A	110148-REHAU	-	-
25	3577	SMR	Green Tea	6	2	B	75628-REHAU	E3-1039	-
26	3586	SMR	Blue	6	3	B	75625-REHAU	-	-
27	3587	SMR	Lapis Blue	6	3	A	75639-REHAU	-	Red Star-16
28	3605	SMR	Tucson Gold	6	1	B	112127-REHAU	E3-1112	Red Star-603
29	3613	SMR	Sunset	6	1	A	DC 8L38-DOELLKEN	-	Red Star-71
30	3621	SMR	Coral	6	1	C	112128-REHAU	E3-1115	-
31	3622	SMR	Red Flame	6	1	D	75717-REHAU	E3-1009	Red Star-68
32	3623	SMR	Popping Ruby	6	3	C	75619-REHAU	-	-
33	3634	SMR	Black Current	5	2	B	110115-REHAU	E3-1012	Red Star-62
34	3646	SMR	Black	6	3	D	75617-REHAU	E3-1006	Red Star-09
35	3649	SMR	Brew	7	2	C	75635-REHAU	E3-1021	Red Star-99
36	3711	SMR	Beaver	7	2	D	75738-REHAU	E3-1042	Red Star-15
37	3742	SMR	Pietra-Balsam Brown	8	1	B	704P-REHAU	E3-3302	-
38	3744	SMR	Pietra-Cave Grey	8	1	A	110129-REHAU	E3-3304	-
39	3959	SMR	Oak Stroll	9	1	A	025P-REHAU	E3-2013	-
40	3965	SMR	Grey Cereza	9	2	A	382P-REHAU	E3-2160	-

T E C H N I C A L
S P E C I F I C A T I O N S

S.No.	PROPERTIES	TEST STANDARD	UNIT	SPECIFIED VALUES	NEWMIKA VALUES
1	Classification & Test Protocol	IS 2046 : 1995		HGS, Thickness 1.0 mm	
PHYSICAL & DIMENSIONAL PROPERTIES					
	Nominal Thickness		mm	1.0	
2	Thickness Variation	Clause - 5.3	mm	1.0 ± 0.10	1.00 (MIN.)
3	Tolerance on Length	Clause - 5.4.6	mm	+10, -Nil	+6, -Nil
4	Tolerance on Width	Clause - 5.4.6	mm	+10, -Nil	+6, -Nil
5	Straightness of Edges	Clause - 5.4.7	mm/m	1.5 (max.)	Conforms
6	Squareness	Clause - 5.4.8	mm/m	1.5 (max.)	Conforms
7	Density	EN ISO 1183 -1:2004	kg/m3	1360 - 1400	Conforms
8	Warping (Flatness)	Clause - 5.4.5	mm/m	120 (max.)	Conforms
9	Dimensional Stability at Elevated Temperatures				
	Longitudinal Direction	Annex - F	%	0.55 (max.)	Conforms
	Transverse Direction	Annex - F	%	1.05 (max)	Conforms
10	Dimensional Stability at 20°C				
	Longitudinal Direction	Annex - G	%	0.38 (max.)	Conforms
	Transverse Direction	Annex - G	%	0.60 (max.)	Conforms
MECHANICAL PROPERTIES					
11	Resistance to Immersion in Boiling Water				
	Mass Increase	Annex - D	%	10.0 (max.)	Conforms
	Thickness Increase	Annex - D	%	11.8 (max.)	Conforms
	Appearance	Annex - D	Grade	Not worse than 4	Conforms
12	Resistance to Impact by Small Diameter Ball				
	Spring Force	Annex - H	N	20	Conforms
13	Resistance to Cracking	Annex - K	Grade	Not worse than 4	Conforms
SURFACE PROPERTIES					
14	Resistance to Scratching	Annex - L	N	2.0 (min.)	3.0 (min.)
15	Resistant to Steam	Annex - T	Grade	Not worse than 4	Conforms
16	Resistance to Water Vapor	EN 438-2:14	Class	Not worse than 4	Conforms
17	Resistance to Dry Heat at 180°C				
	Gloss Finish	Annex - E	Grade	Not worse than 3	Conforms
18	Resistance to Surface Wear	Annex - C	Rev.	350 (min.)	>800
19	Resistance to Cigarette Burns	Annex - P	Grade	Not worse than 3	Conforms
20	Resistance to Staining				
	Group 1 & 2	Annex - M	Grade	Not worse than 5	Conforms
	Group 3 & 4	Annex - M	Grade	Not worse than 4	Conforms
21	Resistance to Colour Change				
	In Xenon Arc Lamp	Annex - N	Grade	Not worse than 6	Conforms
22	Glass Retention	ASTM D 523	%	No spec.	95 (min.)
HEALTH & ENVIRONMENTAL CHARACTERISTICS					
23	Food Safe	EN 13130-1	-	-	YES
24	Contents' Migration as per Food Commission Regulation	EN 1186-1, 3 & 14: 2002	Migration	Migration of Substances is less than maximum permitted by Regulation	
25	Formaldehyde Emission (release)	EN 16516:2017	ppm	0.1	0.02
26	Volatile Organic Compounds (VOC) Emission	ISO 16000-9 UL 2818 - 2013	Class Certification	-	A GREENGUARD GOLD
27	Anti-Bacterial Efficacy & Activity				
	% Reduction in 24 hours		%	95.0 (min)	99.99
	Activity after 24 hours	JIS 2801-2012	Log Reduction	2.0 (min)	Exceeds
28	Anti-Fungus Efficacy				
	Growth after 28 days	ASTM G-21-2015	Class	1	0 (No Growth)

